

Configuring a Shibboleth SP for SURFsecureID



This documentation describes how to connect a SP to the SURFsecureID gateway directly. New SP's must connect to the SURFconext gateway.

Request authentication at a specific LoA

An example Apache configuration snippet where a request for a specific URL triggers a SAML request with LoA 2.

The [LoA identifier \(http://surfconext.nl/assurance/loa2\)](http://surfconext.nl/assurance/loa2) in the example below is specific for the Production environment and the Test environments use different identifiers.

```
<Location /secure>
  AuthType shibboleth
  ShibRequestSetting requireSession 1
  ShibRequestSetting authnContextClassRef http://surfconext.nl/assurance/loa2
  require valid-user
</Location>
```

Below is an example of the resulting subset of environment variables that are set by the Shibboleth SP. You can use these for authorisation purposes in your application.

```
[Shib-Application-ID] => default
[Shib-Session-ID] => _77421bdf5f17e10c70efb9a89aa3737e
[Shib-Identity-Provider] => https://sa-gw.surfconext.nl/authentication/metadata
[Shib-Authentication-Instant] => 2013-10-29T22:08:46Z
[Shib-Authentication-Method] => http://surfconext.nl/assurance/loa3
[Shib-AuthnContext-Class] => http://surfconext.nl/assurance/loa3
[Shib-Session-Index] => c8a493e33432686feb5cc683a9fd0c7c
[persistent-id] => https://sa-gw.surfconext.nl/authentication/metadata!https://my-sp.example.com/shibboleth!urn:collab:person:surfnet.nl:john
```

Note that a LoA2 authentication was requested, yet the user was authenticated at LoA3.

Security

You can only rely on the value of Shib-Authentication-Method or Shib-AuthnContext-Class when Shib-Identity-Provider is indeed the EntityID of the SURFsecureID IdP. For Production that is <https://sa-gw.surfconext.nl/authentication/metadata>, the other SURFsecureID environments use different EntityIDs.

Note that when your Shibboleth SP trusts other IdPs in addition to the SURFsecureID IdP (e.g. the normal SURFconext IdP, <https://engine.surfconext.nl/authentication/idp/metadata>). Shibboleth will by default accept unsolicited assertions as used in the IdP-initiated SSO flow. This means that an IdP can login without the SP having first created an authentication request. We recommend that you **always verify** that the EntityID of the IdP is the one you expect for each authentication, e.g. by verifying the value of Shib-Identity-Provider.

More info

- [Configuring a Shibboleth SP for step-up authentication](#)
- [Connecting a Shibboleth SP to SURFconext](#)