

Beschrijven van resultaten



The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC 2119](#).

Table of contents

- [Table of contents](#)
- [Document information](#)
- [Document History](#)
- [Abstract](#)
- [Result](#)
 - [Description](#)
 - [title](#)
 - [Representations](#)
 - [Landing page](#)
 - [Object files](#)
- [0. MODS in DIDL](#)
- [1. Title, abstract, semantic type and language](#)
 - [Title](#)
 - [Abstract](#)
 - [Semantic Type](#)
 - [Document language](#)
- [2. Names of Persons and Organisations](#)
 - [Personal Names](#)
 - [Corporate Names](#)
- [3. Dates](#)
 - [Publication date](#)
 - [Date of creation](#)
 - [Embargo date](#)
 - [Date of approbation](#)
- [4. Keywords, Classifications and Target Audiences](#)
 - [Keywords](#)
 - [Classification](#)
 - [Target Audience](#)
 - [Geographical information](#)
 - [Temporal information](#)
- [5. Related bibliographic material](#)
- [6. Bibliographic Identifiers](#)
 - [Author identifiers](#)
 - [Local identifiers](#)
 - [Location](#)
- [7. Copyright](#)

Document information

Title:
Subject:
Moderator:
Version:
Date published:
Excerpt: Write an excerpt here of max. 60 words

(Optional information)

Type:
Format:
Identifier:
Language:
Rights:
Tags:

Document History

Date	Version	Owner	Changelog	PDF

Abstract

The abstract describes what the application profile is about. It should contain a problem definition, the standards described by the application profile and the goal of the application profile.

From here, content can be added. Remember to start chapters with a header in h1., h2. or smaller
XML may be added between `{code:xml|collapse=true|linenumbers=true|title=Title} {code}` (remove the \ to use tags)



When creating a draft, comments and proposal can be added that allow a discussion. Please read the <http://wiki.surffoundation.nl/display/standards/Wiki+guidelines>

Result

Description

title

Field (NL)	Title
Field (EN)	Titel
Description (NL)	
Description (EN)	
Cardinality	
Constraints	
Value: Data type	LangString
Value: Data encoding	ISO/IEC 10646-1 @RFC4646
Value: Example	Een Nederlandse titel.
Value: Remarks	[http://www.ietf.org/rfc/rfc4646.txt]]
Validation: Schematron rule	
Xpath Default namespace	mods:
Xpath Serialisation	//mods:titleInfo[@xml:lang]/title
Usage: OAIS Package	SIP; AIP; DIP
Usage: Community	HBO-KB; NARCIS

Representations

Landing page

Field (NL)		URL human start page	
Field (EN)		URL human start page	
Description (NL)		Web-locatie van de informatiepagina (html) van de publicatie in de repository	
Description (EN)			
Cardinality			
Constraints			
Value: Data type		URI	
Value: Data encoding		RFC3986	
Value: Example	http://example.org/pageinrepository.html		
Value: Remarks	http://www.ietf.org/rfc/rfc4646.txt		
Validation: Schematron rule			
Xpath Default namespace	didl:		
Xpath Serialisation		//Item/Item[Descriptor/Statement/rdf:type/@rdf:resource='info:eu-repo/semantics/humanStartPage']/Component/Resource/@ref	
Usage: OAIS Package	AIP; DIP		
Usage: Community	HBO-KB; NARCIS		

Object files

0. MODS in DIDL

The MODS records is placed inside a DIDL Resource element of a Component in an Item with semantic type set to "info:eu-repo/semantics/DescriptiveMetadata".

Example

```
(...)
<didl:Item>

  <!-- Semantic Type -->
  <didl:Descriptor>
    <didl:Statement mimeType="application/xml">
      <rdf:type rdf:resource="info:eu-repo/semantics/DescriptiveMetadata"/>
    </didl:Statement>
  </didl:Descriptor>

  (...)

  <!-- Content -->
  <didl:Component>
    <didl:Resource mimeType="application/xml">
      (...) <!-- MODS goes here -->
    </didl:Resource>
  </didl:Component>

</didl:Item>
(...)
```

A MODS record starts with the mods root element. If not declared elsewhere in the XML document, the mods element MUST declare a namespace by setting the xmlns attribute of the mods element to <http://www.loc.gov/mods/v3>. We are using version 3.4. This SHOULD be made explicit by using the version attribute. Referencing the XML schema is optional

Example
<pre>(...) <didl:Resource mimeType="application/xml"> <mods xmlns="http://www.loc.gov/mods/v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.loc.gov/mods/v3 http://www.loc.gov/standards/mods/v3/mods-3-4.xsd" version="3.4"> (...) </mods> </didl:Resource> (...)</pre>

1. Title, abstract, semantic type and language

Title

The title information of the bibliographic work is split into two elements: a main title and an optional subTitle. Both are being placed under the titleInfo top-level element.

Example
<pre>(...) <titleInfo> <title>Main Title</title> <subTitle>Subtitle</subTitle> </titleInfo> (...)</pre>



With the previous Dublin Core-based application profile, title and subtitle information were placed in a single element as dot separated values.

Abstract

An abstract of the contents are contained within the top-level element abstract.

Example
<pre>(...) <abstract xml:lang="en">A short abstract.</abstract> (...)</pre>



The previous application profile did not offer solutions for multilingualism. With the introduction of MODS, this feature is now present through the use of the xml:lang attribute.

Semantic Type

The semantic type of the work is specified in the top-level element genre. Its value is based on a controlled vocabulary in the [info:eu-repo](#) semantics namespace.

Example

```
(...)  
<genre>info:eu-repo/semantics/BachelorThesis</genre>  
(...)
```



In the previous application profile the value of the equivalent element was a literal. For the new situation URIs are used. The use of the `info:eu-repo` namespace also offers additional values.

Document language

Information about the language is placed in the top-level element `language`. This element contains a subelement `languageTerm` which includes the use of a `type` attribute indicating the value of the `languageTerm` element being a code or text and the optional `authority` attribute referencing a particular standard (e.g. RFC3066 or ISO639-2b).

The `languageTerm` element may be repeated in order to describe the language in different ways (e.g. both through a formal code and a descriptive text).

In case a text consists of multiple languages (for instance a Dutch text and a English summary), the `language` top-level element **MUST** be repeated with the use of the `objectPart` attribute.

It is **RECOMMENDED** to use the RFC3066 codes.

Example

```
(...)  
<language objectPart="summary">  
  <languageTerm type="code" authority="rfc3066">eng</languageTerm>  
</language>  
<language objectPart="main">  
  <languageTerm type="code" authority="rfc3066">nld</languageTerm>  
  <languageTerm type="text" lang="nld">Nederlands</languageTerm>  
  <languageTerm type="text" lang="eng">Dutch</languageTerm>  
</language>  
(...)
```

2. Names of Persons and Organisations

MODS has a generic name construct consisting of a name toplevel-element containing one or more `namePart` subelements. This construct can be used for both names of natural person as for organisation names. The `type` attribute may be used to distinguish between the two.

One or more roles may be assigned to a name. For this a term from the [MARC Code List for Relators](#) or `marcrelator` term may be used.



Roles

This is the entity's role in relation to the bibliographic work and **not** in relation to a given affiliation, e.g. a person to an organisation, thus the values "student", "teacher" or "lector" are invalid.



Affiliations

Information about a person's affiliation to an organisation may be added in the `affiliation` element.



The use of roles and affiliations is different from the previous Dublin Core application profile

Example

```
(...)  
<name>  
  <namePart>Name</namePart>  
  <role>  
    <roleTerm authority="marcrelator">term</roleTerm>  
  </role>  
  <affiliation>Term</affiliation>  
</name>  
(...)
```

Personal Names

For names of natural, the type attribute of the name toplevel element has the value `personal`. The family and given name may be placed in separate `namePart` subelements with the type attributes containing family and given respectively.



At this point, MODS does not contain a separate type-value for 'infix' (tussenvoegsel).

At this point, five affiliation roles are being distinguished using the following terms:

- Lector
- LectorateMember
- Student
- StudentResearcher
- Teacher

Example

```
(...)  
<name type="personal">  
  <namePart type="family">Vries, de</namePart>  
  <namePart type="given">J. (Jan)</namePart>  
  <role>  
    <roleTerm authority="marcrelator">aut</roleTerm>  
  </role>  
  <affiliation>Lector</affiliation>  
</name>  
(...)
```

Corporate Names

Corporate names may be included in a name toplevel element with the type attribute containing the value `corporate`. Names of organisational units such as faculties and 'lectorates' should be included in a dot separated array in a single `namePart` element. Because the hierarchical structure of these organisational units varies between institutions, the semantics of the different values in the array are lost.

The community however has a strong need to explicitly capture these semantics. This enables applications to execute queries based on the values without the need to parse and identify the values based on ontologies. For this an [extension](#) has been defined that is based on the generic MODS construct for names, but that allows additional values for the type attribute of the `namePart` element, namely `organisation`, `department` and `lectorate`.

To maintain backwards compatibility with other systems it is recommended to define the toplevel organisation using both the default MODS guidelines and the HBO extension. Supplying the underlying organisational units using a dot separated array is optional. The MODS instance and the extension instance of a organisation may be joined using the ID attribute of the toplevel name element.

Example

```
(...)  
<name ID="nameID_1" type="corporate">  
  <namePart>Hogeschool van Amsterdam. Media, Creatie en Informatie. Electronisch Uitgeven</namePart>  
  <role>  
    <roleTerm authority="marcrelator">pbl</roleTerm>  
  </role>  
</name>  
  
(...)  
  
<extension>  
  <hbo:name xmlns:hbo="info:eu-repo/xmlns/hboMODSextension" ID="nameID_1" type="corporate">  
    <hbo:namePart type="organisation">Hogeschool van Amsterdam </hbo:namePart>  
    <hbo:namePart type="department">Media, Creatie en Informatie</hbo:namePart>  
    <hbo:namePart type="lectorate">Electronisch Uitgeven</hbo:namePart>  
  </hbo:name>  
</extension>  
(...)
```



See also: [HBO MODS Extension](#)

3. Dates

Dates are specified according to [ISO-8601](#) using the RECOMMENDED notation YYYY-[MM-[DD]]. In this notation, only the year is a REQUIRED part. A month MUST be specified when the day is present. It is RECOMMENDED to specify both year, month and day.

All dates are placed under the `originInfo` top-level element.

Publication date

Date of first publication is specified in the `dateIssued` element.

Example

```
(...)  
<originInfo>  
  <dateIssued encoding="iso8601">2011-03-23</dateIssued>  
</originInfo>  
(...)
```

Date of creation

The date of creation is included in the `dateCreated` element.

Example

```
(...)  
<originInfo>  
  <dateCreated encoding="iso8601">2010-12-07</dateCreated>  
</originInfo>  
(...)
```

Embargo date

Embargo dates are placed in the dateOther element with "embargo" specified in the type attribute. The date should be considered inclusive.

Example

```
(...)  
<originInfo>  
  <dateOther type="embargo" encoding="iso8601">2011-05-17</dateOther>  
</originInfo>  
(...)
```

Date of approbation

The date of approbation is specific for theses and dissertations and is specified in the dateOther element with type attribute contained the value "approved".

Example

```
(...)  
<originInfo>  
  <dateOther type="approved" encoding="iso8601">2011-02-28</dateOther>  
</originInfo>  
(...)
```

4. Keywords, Classifications and Target Audiences

Keywords

The topic element is used to specify a keyword that is applicable to the content and is placed under the subject top-level element. This subject element is multilingual thus keywords in different languages MUST be placed in separate instances of the subject element.

Example

```
(...)  
<subject xml:lang="nl">  
  <topic>metadata</topic>  
  <topic>digitale brievenbus</topic>  
</subject>  
<subject xml:lang="en">  
  <topic>keyword</topic>  
</subject>  
(...)
```

Classification



Unstable

The top-level element classification offers space to include classifications. In this element, different classification-source codes from the [Library of Congress](#) may be used. For the context of this application profile, the use of the [Nederlandse Basis Classificatie](#) (NBC) is also permitted. This classification however is not included in the list of classification sources by the Library of Congress. The use of the NBC MUST be indicated by the value "info:eu-repo/classification/Nbc" in the authorityURI attribute. The value of the element MUST be the identifier. The descriptive name of the identifier MAY be included in the displayLabel attribute.

Example

```
(...)  
<classification authorityURI="info:eu-repo/classification/Nbc" displayLabel="Informatica">54</classification>  
(...)
```

Target Audience



Unstable

Target audiences may be included within the targetAudience top-level element. The value MUST be a term from the [MARC Target Audience Term List](#).

Example

```
(...)  
<targetAudience authority="marctarget">general</targetAudience>  
(...)
```

Geographical information



Unstable

Example

```
(...)  
<subject>  
  <geographic>Netherlands</geographic>  
</subject>  
(...)
```

Temporal information



Unstable

Example

```
(...)  
<subject>  
  <temporal encoding="iso8601">1985-05</temporal>  
</subject>  
(...)
```

5. Related bibliographic material



Currently, only the host-type is used.

Example

```
(...)  
<relatedItem type="host">  
  <identifier type="uri">URN:ISSN:0304-3940</identifier>  
  <titleInfo>  
    <title>Neuroscience Letter</title>  
  </titleInfo>  
  <originInfo>  
    <place>Amsterdam</place>  
    <publisher>Elsevier</publisher>  
  </originInfo>  
  <part>  
    <detail type="volume">  
      <number>77</number>  
    </detail>  
    <detail type="issue">  
      <number>1</number>  
    </detail>  
    <extent unit="page">  
      <start>71</start>  
      <end>75</end>  
    </extent>  
  </part>  
</relatedItem>  
(...)
```

6. Bibliographic Identifiers

Author identifiers

Example

```
(...)  
<name type="personal" ID="n1">  
  <namePart type="family">Vries, de</namePart>  
  <namePart type="given">J. (Jan)</namePart>  
  <role>  
    <roleTerm authority="marcrelator" type="code">aut</roleTerm>  
  </role>  
</name>  
(...)  
<extension>  
  <dai:daiList  
    xmlns:dai="info:eu-repo/dai"  
    xsi:schemaLocation="info:eu-repo/dai  
      http://www.surfgroepen.nl/sites/oai/metadata/Shared%20Documents/dai-extension.xsd">  
    <dai:identifier IDref="n1" authority="someAuthority">123456789</identifier>  
  </dai:daiList>  
</extension>  
(...)
```

Local identifiers

Example

```
(...)  
<identifier type="someType">1234567890</identifier>  
(...)
```

Location



Unstable



This field is used for copies of the document that are not in the custody of the repository, for instance a copy at the editor.



Objects contained within the repository **MUST** be placed in the structural metadata in the DIDL.

Example

```
(...)  
<location>http://thirdparty.org/resource</location>  
(...)
```

7. Copyright

MODS provides no native mechanism to publish copyright statements for described material. For this, an extension has been defined that is used in the NARCIS infrastructure. This extension will also be use in this specification.

Example

```
(...)  
<extension>  
  <wmp:rights  
    xmlns:wmp=http://www.surfgroepen.nl/werkgroepmetadaplug  
    xmlns:dc="http://purl.org/dc/elements/1.1/"  
    xsi:schemaLocation="http://www.surfgroepen.nl/werkgroepmetadaplug rights.xsd">  
    <dc:description>  
      © 2010 Hogeschool van Amsterdam  
      This work is licensed under a Creative Commons  
      Attribution-Noncommercial-No Derivative Works 3.0 Unported License.  
    </dc:description>  
    <dc:rights>http://creativecommons.org/licenses/by-nc-nd/3.0/</dc:rights>  
  </wmp:rights>  
</extension>  
(...)
```



See also the [Use of MODS#Copyright](#) for the associated schema.